NEDISI 7

## INFORMATION REPORT INFORMATION

18, U.S.C	terial contains ini . Secs. 793 and	94, the transmis	ng the Nation sion or reve	nal Defense of the elation of which S-E-C-R- NOFOR	in any manner E-T	within the	e meaning of the Es authorized person is 50X1	prohibited by law.
OUNTRY	East Germa	ny			REPOR	т		
SUBJECT	New Van de Graaff Generator at Miersdorf Institute			DATE DISTR.		1 0 NOV 1959	·	
					REFERE	NCES	RD	
ATE OF IFO. .ACE & ATE ACQ								50X1- 50X1-HU
		CE EVALUATION	ONS ARE I	DEFINITIVE.	APPRAISAL OF	CONTEN	IT IS TENTATIVE.	
2.	Otto Baier 3.50 meter have an ovis 95 cm. visible in column and also devel at the top Although B a copy of	of the Mi s high and er-all hei The gener the attac have some oped in Ba of the co aier has a U. S. mode	ersdorf, when a ght of sator has hed photowhat smaller's lalumn between dmitted ls, he here	Institute the outer 5.30 meter s a total tograph. aller circ aboratory, tween the frankly t has been h	nearing co. The gene housing has s. The out of four ban The others umferences. will be in two bands p o colleague eard to cla	mpleti rator been er dia ds, two are co Two astalle icture s that im tha	column itselinstalled, imeter of the of which antained with accelerator d in the over	boratory of Dr.  f is t will column re readily in the tubes, OX1-HUM or is in-
	all four b	ands for r	ep <b>air a</b> r	nd replace	ment withou	t hois	ting the cole enerator itse	umn

## INFORMATION REPORT INFORMATION REPORT

(Note: Washington distribution indicated by "X"; Field distribution by "#".)

Sanitized Copy Approved for Release 2010/08/25 : CIA-RDP80T00246A051100040001-9 50X1-HUM

GERMANY BERLIN BERLIN 52 31 N 13 24 E Van de Graaff generator at Miersdorf Institute.

